11. If the timber is not removed within the time allowed, the same may, after ten days' notice to the purchaser, be sold in public auction and the proceeds will be given to the purchaser after defraying all the expenses in connection with the resale.

12. The deposit of Rs. 200 will remain as security for the due fulfilment of all and every one of the terms of sale, for the breach of any of which by the purchaser, the District Forest Officer shall be entitled to forfeit the deposit in whole or in part and in the event of such forfeiture, the sum so forfeited shall be immediately made good by the purchaser so long as the transaction is not finally closed. The security deposit or the balance thereof, if any, shall be returned to the purchaser after the full value of timber purchased has been paid for and the timber fully removed.

H. S. RANGACHAR,
District Forest Officer.

ENGINEERING DEPARTMENT.

BUILDINGS DIVISION, BANGALORE.

Notification dated 3rd January 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 26th January 1940, up to 2 P.M., for Constructing First Floor of Chamber of Commerce, Kempegowda Road, Bangalore City. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees 1,000 (one thousand) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Constructing First Floor of Chamber of Commerce, Bangalore," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer (Mysore Circle), who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotation must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for Constructing the First Floor of Chamber of Commerce, Bangalore.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Dismantling the parapet wall of the existing building and removing the debris to a considerable distance	L. S.	..	..	
2	Removing the present roofing in the ground floor for the passage portion and removing the materials to a safe place	,	..	..	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
3	Archaioal to the Arches of Verandah in the ground floor	R.ft.	0 4 0	120	
4	Beading above the arches in cement mortar for verandah, 3″ thick above crown moulding.	,,	0 2 0	106	
5	Well burnt brick in lime mortar, 1 part lime and 3 parts of sand	C.ft.	0 5 0	12,720	
6	Wire cut brick in mortar (mortar 1 part of lime and 3 parts of sand)	,,	0 10 0	1,140	
7	Granite burnt stone slabs 6″ thick, 1 line dressed for lintels above doors and windows, etc., with lead and lift	S.ft.	0 6 0	1,374	
8	Plastering with chunam mortar $\frac{3}{4}$″ thick as per S. specification	Sqr.	3 8 0	214.76	
9	White washing, 2 coats	,,	0 4 0	165.38	
10	Colour washing, 2 coats of any approved colour	,,	0 5 0	49.38	
11	Tata's tested rolled steel girders as per B.S.S. including lifting and hoisting and boxing with cement mortar and terrace brick reinforced with galvanised steel texnet tied around with one coat of anti-corrosive paint for girders and fixing in cement concrete complete as per S. specification	Cwt.	11 0 0	172.93	
12	Well seasoned Mysore Teakwood plank, $1\frac{1}{2}$″ thick flooring over T. W. joists of $2\frac{1}{2}$″×$4\frac{1}{2}$″ at $1\frac{1}{2}$′ apart for the stair room with any approved 2 coats of painting, etc., complete	Sqr.	75 0 0	1.28	
13	Removing the old plaster on top of present roofing and laying with an extra floor finish of $1\frac{1}{2}$″ of cement concrete of 1 part of cement and 2 parts of sand and 4 parts of $\frac{1}{2}$″ cubes of jelly on top with red cement plastering cut to any approved design of tiles with an expansion joint wherever necessary and laid with proper slope for washing and levelling course of surki concrete of 2″ to 3″ thick complete as per S. specification	,,	20 0 0	54.23	
14	Teakwood Newel stair case 12″ tread 6″ rise of $1\frac{1}{2}$″ thick planks including stringers with platforms or steps of $4\frac{1}{2}$′ wide including ceiling with $\frac{3}{4}$″ thick planks, etc., complete with 2 coats of Delux varnish painting, etc., complete as per S. specification	Tread of visible area per S.ft.	2 8 0	207	
15	Well seasoned Teakwood hand railing with turned balusters with top and bottom rails 3″×5″ including Delux varnish for balusters and Duco varnish for hand rails as per S. specification	R.ft.	2 4 0	70	
16	Plain parapet wall between pillars as per design 3′ high 9″ thick including plastering, etc., complete with ornamental trimmings as per S. specification	,,	1 0 0	51	
17	R. C. balustrated parapet wall between pillars as per design 3′ high with finishing, complete.	R.ft.	2 0 0	64	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
18	Roofing with reinforced cement concrete 1 : 2 : 4 6″ thick to take a super load of 1 cwt. and with an expansion joint wherever necessary and laid to proper slope for drainage on camber pieces over girders and with ceiling plastered with finely ground lime mortar as per design with coving and offsets and with surki concrete 4″ thick with two coats of flat tiles and plastered smooth as per S. specification	Sqr.	80 0 0	66.78	
19	Cornice 12″ deep and 10″ projection alround roof level as per design furnished during construction	R.ft.	1 0 0	220	
20	Plain cornice 3″ projection 6″ deep as per design furnished during construction	,,	0 6 0	232	
21	Plain parapet wall above roof level 2½ to 3′ high 9″ thick in lime mortar with plastering and colour washing, etc., complete	R.ft.	1 2 0	346	
22	R. C. balustrated parapet wall over roof level as per design 3′ high	,,	2 0 0	106	
23	Mouldings for caps of pillars and semi pillars as per design furnished during construction.	Each	2 0 0	26	
24	Mouldings for bases of pillars and semi pillars as per design furnished during construction.	,,	1 0 0	26	
25	Well seasoned Mysore Teakwood doors with frames 3″×5″ without bottom sills and having ⅓ panelled ⅔ glazed translucent 1¾″ thick shutters including acme brass fittings rim door locks with handles, 3 finger plates 12″×4″ as per design fixed with 6″ brass hinges, two 6″ hooks, brass screws barrel bolts of suitable size, etc., complete including Delux water proof varnish two coats and T. W. perforated ventilators if any above the door ventilators as per design furnished during construction	S.ft.	1 12 0	480	
26	Well seasoned Mysore Teakwood windows 3″×5″ frame work with 1½″ thick glazed shutters opening outside in 4 halves with ventilators at top including iron bars of ¾″ dia. 4″ apart brass hinges, brass hooks 2″ rings and casement adjusting stays, etc., including two coats of Delux Varnish painting as per S. specification	,,	2 0 0	645	
27	Cement perforated ventilators as per design to be furnished 1½″ thick with 2″ thick, 2″ wide alround 1 per cent reinforcement neatly finished with splayed front heads in relief complete	S.ft.	1 0 0	435	
28	Moulding letters in cement as Chamber of Commerce as per architectural letters furnished during execution	Each	0 3 0	17	
29	C.I. rain water down pipes of 3″×4″ with bends, etc., complete	R.ft.	2 0 0	500	

Notification dated 5th January 1940.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Buildings Division, up to 2 P.M. on 29th January 1940, for constructing additional rooms to the Kannada Boys' Middle School at new Sawar Lines, Mysore Lancers, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Buildings Division, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer by payment of four annas. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees two hundred only in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing additional rooms to the Kannada Boys' Middle School at New Sawar Lines, Mysore Lancers, Bangalore," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, Buildings Division who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for constructing additional rooms to the Kannada Boys' Middle School at New Sawar Lines (Mysore Lancers), Bangalore.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Earthwork excavation for foundation and filling in basement and forming, etc.	C.yd.	0 3 6	52	
2	Granite jelly concrete in lime mortar 1 : 2 :4 ..	C.ft.	0 3 3	452	
3	Size stone in clay with bond stones 6′ apart including quoin dressing to the exposed corners of basement, etc., complete	,,	0 3 3	1,366	
4	Burnt brick in mortar superstructure ..	,,	0 4 6	2,489	
5	Burnt stone slabs 6″ thick exposed portions 2 line dressed and other portions roughly dressed and fixed in mortar	S.ft.	0 5 6	982	
6	T. W. Door frame 4″×5″ panelled shutters $1\frac{1}{4}$″ thick with iron fittings, etc., complete ..	,,	1 8 0	152-	
7	T. W. Windows frame 3″×$4\frac{1}{2}$″ panelled shutters $1\frac{1}{4}$″ thick $\frac{3}{4}$″ iron bars 3″ apart with hooks, bolts, etc., complete	,,	1 10 0	84	
8	Removing windows from point "A" and fixed at "B"	S.ft.	0 1 6	168	
9	T. W. ventilators frame 3″×4″ with glazed shutters and iron bars $\frac{3}{4}$″ thick complete ..	,,	1 4 0	84	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
9*a*	Removing old ventilators and refixing in altered position with repairs	S. ft.	0 2 0	28	
10	R.C.C. chejja cornice projection 2½″ thick with cement plastering complete	,,	0 8 0	448	
11	T. W. glazed circular ventilator and fixing in old wall on both sides of gable roof ..	,,	1 8 0	10	
12	Providing and fixing Tata's tested R. S. beams with 2 coats of approved paint	Cwt.	13 0 0	27·00	
13	Roofing with reinforced cement concrete 1 : 2 : 4 designed to carry 1⅓ cwts. per S.ft. for a clear span of 7⅓ to 9′, 3″ surki concrete and two courses of flat tiles in lime mortar, smooth lime mortar plastering and whitewashing to ceiling	Sqr.	60 0 0	12·09	
14	Flooring with Cuddapah slab 1½″ thick on metal concrete 3″ thick cement pointing the joints, etc.	,,	22 0 0	10·35	
15	Burnt brick in lime mortar parapet wall 1½′ high 9″ thick with blocking course top finish and lime mortar plastering and colour washing, etc., complete	R.ft.	0 12 0	137	
16	Cornice as per plan with lime mortar plastering and colour washing, etc., complete ..	,,	0 8 0	140	
17	Lime mortar plastering 2 coats	Sqr.	3 0 0	46·35	
18	Whitewashing 2 coats inside and colour washing exterior 2 coats as per plastering ..	,,	0 4 0	46·35	
19	Cement pointing to basement	,,	2 4 0	3·58	
20	Silicate painting, 2 coats	,,	3 0 0	10·30	
21	Zinc down take pipes 4″ dia.	R.ft.	0 6 0	42	
22	Ornamental works	L. S.	..	..	
23	Urgent and unforeseen works and clearing site, etc.	,,	..	..	

M. K. RAJAM IYENGAR,
Executive Engineer.

BANGALORE DIVISION.

Notification dated 4th January 1940.

1. Sealed tenders will be received at the office of the Executive Engineer, Bangalore Division, up to 2 P.M. on 27th January 1940, for restoring and improving Araladibbe Minor Tank Reg. No. 257 of Nelamangala Taluk.

2. Tenders in the prescribed form obtainable on payment of Re. 0-4-0 asper form, from the office of the Executive Engineer, Bangalore Division, should be addressed to the Executive Engineer, Bangalore Division, in a sealed cover and superscribed as "Tender for restoring and improving Araladibbe Minor Tank Reg. No. 257 of Nelamangala Taluk." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a duplicate challan for having credited into the treasury the deposit amount of Rs. 170, under 17(*a*) P. W. Deposits on Mysore Government Bonds, duly endorsed at a face value or market value, whichever is less, as earnest money. The earnest money of the successful tenderer will be retained as security deposit for due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers as wish to be present on 27th January 1940 at 3 P.M. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental Schedule Contract Form,

for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay Specifications (1931).

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force, will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Bangalore, on all working days between 11 A.M. and 5 P.M. and may be obtained from that officer on payment of Rs. 3 for each.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions or additions, at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of May 1940, failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 1-2-0 per day which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(a) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.
(2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.
(3) Provide mortar mills and sheds, to keep materials under cover and also for workmen.
(4) Arrange for protecting work during inclement weather.
(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.
(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.
(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.
(8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.

(9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.

(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by insurance at the proper time.

Note—(*b*) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Approximate quantities for restoring and improving Araladibbe Minor Tank, Reg. No. 257 Nelamangala Taluk.

No.	Items of work	Unit	Rate	Quantity	Rate to be quoted	
					Figures	Words
	Bund R. L. 56·00.		Rs. a. p.		Rs.	Rs.
1	Clearing jungle with roots and cutting grips, etc.	Grade	1 8 0	13		
2	Earthwork to bund and watering and tamping with required lead and lift, etc.	C.yd.	0 3 6	7,357		
2*a*	Lead and consolidation charges for earth available from draft and approach clearing of waste weir used to bund	C.yd.	0 1 0	200		
3	Removing and resetting old stone work with new jelly backing and jelly wedging including required lead and lift, etc.	C.yd.	0 12 0	100		
4	New stone revetment with jelly backing and jelly wedging including required lead and lift, etc.	C.yd.	1 2 0	730		
5	Turfing the slopes and watering till it is satisfactory	S.yd.	0 0 9	3 740		
6	Providing and fixing new grade stones on bed slabs including painting, etc., complete	No.	2 0 0	14		
7	Providing and fixing Index stones and painting, etc.	,,	0 5 0	14		
8	Providing and fixing gauge stone on bed slab with necessary masonry works and painting, etc., complete	,,	12 0 0	1		
9	Providing and fixing Register No. stone on bed slab including painting, etc., complete	,,	2 8 0	1		
10	Providing and fixing B. M. stone on bed slabs including painting, etc., complete	,,	2 8 0	2		
	Sluice R. L. 45·00.					
1	Earthwork cut opening the bund and refilling including watering and tamping, etc., complete	C.yd.	0 5 0	76		
2	Jelly concrete in surki mortar 1 : 2 : 4	C.ft.	0 4 0	148		
3	Burnt brick in surki mortar	,,	0 4 6	268		
4	Burnt stone slabs 6" thick one line dressed to exposed surfaces and fixed in mortar	S.ft.	0 6 0	114		
5	Cutting orifice slab	Each	0 8 0	3		
6	Providing plug and rod with locking arrangement, etc., complete	,,	14 0 0	1		
7	Providing laying and fixing 6" dia. pipe cast iron including carting, loading and unloading, etc., complete	R.ft.	2 4 0	27		
8	Plastering with surki mortar	Sqr.	4 0 0	3·62		
9	Rough stone work new with jelly backing and jelly wedging including required lead and lift	C.yd.	1 2 0	10		
	Waste Weir R. L. 52·00.					
1	Earthwork, draft and approach clearing and using the same to the bund with required lead and lift, etc.	C.yd.	0 3 0	337		
2	Burnt brick in surki mortar	C.ft.	0 4 6	223		

No.	Items of work	Unit	Rate	Quantity	Rate to be quoted	
					Figures	Words
			Rs. a. p.		Rs.	Rs.
3	Burnt stone slab 6" thick roughly dressed and fixed in surki mortar	S.ft.	0 6 0	205		
4	Cutting joggle joints	Each	0 8 0	7		
5	Rough stone work new with jelly backing and jelly wedging including required lead lift	C.yd.	1 2 0	22		
6	Plastering with surki mortar	Sqr.	4 0 0	3·55		

Notification dated 5th January 1940.

1. Sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P.M. on 27th Jannary 1940, for constructing a building for the Town Hall at Devanhalli.

2. Tenders in the prescribed form obtainable on payment of four annas per form from the Office of the Executive Engineer, Bangalore Division, should be addressed to the Executive Engineer, Bangalore Division, in a sealed cover and superscribed as "Tender for constructing a building for the Town Hall at Devanhalli." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a duplicate challan for having credited into the Treasury the deposit amount of Rs. 410 (four hundred and ten only) under 17 (a) P. W. Deposits in cash or Mysore Government Bonds, duly endorsed at face value or market value, whichever is less, as earnest money. The earnest money of the successful tenderer will be retained as security deposit for due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 27th January 1940 at 3 P.M. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental Schedule Contract Form, for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay Specifications (1931).

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Bangalore, on all working days between 11 A.M. and 5 P.M. and may be obtained from that officer on payment of Rs. 5 for each.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions or additions, at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of May 1940, failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 2-12-0 per day which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(*a*) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.
(2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.
(3) Provide mortar mills and sheds, to keep materials under cover and also for workmen.
(4) Arrange for protecting work during inclement weather.
(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.
(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.
(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.
(8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.
(9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.
(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by insurance at the proper time.

Note.—(*b*) It is the business of the Contractor to make his own arrangements for quarries and supplies of materials.

Approximate quantities for constructing the Town Hall at Devnhalli.

No.	Items of work	Unit	Rate	Quantity	Rate to be quoted in	
					Figures	Words
			Rs. a. p.		Rs.	Rs.
1	Earthwork excavation for foundation and filling in basement, watering, tamping, etc., complete	C.yd.	0 3 0	201		
2	Lime concrete in granite jelly for foundation	C.ft.	0 3 6	1,095		
3	Size stone in lime mortar for foundations and basement with, bond slabs at 6 feet apart in each layer, etc., complete	C.ft.	0 3 6	3,811		
4	Burnt stone slabs for the basement dressed well on the exposed faces, etc., complete	Sqr.	0 4 0	548		

No.	Items of work	Unit	Rate	Quantity	Rate to be quoted in	
					Figures	Words
			Rs. a. p.		Rs.	Rs.
5	Size stone in lime mortar superstructure with bond stones at 6 feet apart in each layer, etc., complete	C.ft.	0 4 0	5 826		
6	Burnt stone slabs dressed and fixed for windows and doors as lintels and sill slabs.	S.ft.	0 4 0	439		
7	Cut stone pillar 3 line dressed and fixed including base and capital	C.ft.	1 0 0	35		
8	Providing and fixing teakwood doors 4″×5″ frames, panelled shutters with 1½″ planks, brass fittings, etc., including painting ..	S.ft.	1 8 0	99		
9	Teakwood windows of 3″×4″ frames with glazed shutters, etc., complete including painting	,,	1 10 0	364		
10	Teakwood ventilators, glazed, etc., complete.	,,	1 4 0	20		
11	R.C.C. perforated ventilators as per design to be approved	,,	0 8 0	16		
12	Rolled steel beams including hoisting, fixing and painting, etc., complete ..	Cwt.	14 0 0	96		
13	R.C.C. Roofing of 6″ thickness with normal reinforcement, 3″ surki concrete, 2 courses of flat tiles, etc., complete	Sqr.	60 0 0	24·81		
14	Parapet wall over the wall as per plan, etc., complete	R.ft.	1 0 0	309		
15	R.C.C. chajjas over doors and windows, etc., complete	S.ft.	0 10 0	312		
16	Chunam plaster over walls all sides inside ..	Sqr.	3 8 0	33·17		
17	Cement pointing to exterior walls including basement	,,	3 0 0	38·88		
18	Flooring with 1½″ cement concrete of 1 : 2 : 4 on 3″ lime concrete with ½″ cement plaster with red ochre, etc., complete ..	Sqr.	20 0 0	17·97		
19	Boxing girders, etc., complete	R.ft.	0 8 0	130		
20	Down water pipes of cast iron 4″ dia. including, fixing, etc., complete ..	,,	0 6 0	50		
21	White washing 2 coats	Sqr.	0 4 0	33·17		

N. LAKSHMINARASIMHAIYA,
Executive Engineer.

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Abstract Notification dated 2nd January 1940.

The attention of the public is invited to the notification, calling for tenders for "Labour portion of the work in laying pipe lines for improving water supply to the extension of Mandya Town," published in page 40, Part VI of the *Mysore Gazette*, dated 4th January 1940.

The last date of receiving tenders is fixed on 15th January 1940.

Notification dated 2nd January 1940.

The attention of the public is invited to the notification, calling for tenders for the work of constructing drains in Konanur Town for the year 1939-40, published in pages 46-47, Part VI of the *Mysore Gazette*, dated 4th January 1940.

The last date of receiving tenders is fixed on 22nd January 1940.

K. S. HUTCHA RAO,
Sanitary Engineer.

KOLAR DIVISION.

Abstract Notification dated 31st December 1939.

The attention of the public is invited to the detailed notification dated 30th December 1939, published on pages 41-43, Part VI of the *Mysore Gazette*, dated 4th January 1940 regarding construction of Sri Sappalammadevaru Temple at Thornahalli village, Malur Taluk.

The last date for receiving tenders is 26th January 1940 up to 2 P.M.

C. R. IYENGAR,
Executive Engineer.

TUMKUR DIVISION.

Abstract Notification dated 2nd January 1940.

The attention of the public is drawn to the notification calling for tenders for restoring Kalkote Tank, Reg. No. 19, Sira Taluk, published on pages 43-46, Part VI of the *Mysore Gazette*, dated 4th January 1940.

2. The tenders will be received by the Executive Engineer up to 2 P.M. on 22nd January 1940.

3. The earnest money required for the work is Rs. 450 which should be credited to the treasury to "17 (*a*) P. W. Deposits" and the relative chellan enclosed.

Notification dated 3rd January 1940.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Tumkur Division, up to 2 P.M. on 26th January 1940, for collection of burnt stone jelly in miles 71—98 (both inclusive) of Bangalore-Honnavar Road. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Tumkur, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained on payment of four annas each form from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a treasury challan for Rs. 50 credited to '17 (*a*) P. W. Deposits' for each section of mile noted in the statement as earnest money, and be superscribed "Tender for collection of burnt stone jelly in miles 71—98 (both inclusive) of Bangalore-Honnavar Road" in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per current schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for collection of burnt stone metal from 71st mile to 98th mile in Bangalore-Honnavar Road.

No.	Miles	Per	Quantity	Rate
1	71st mile to 74th mile (4 miles)	Furlong	50 C.yds.	
2	75th mile to 76th mile (2 miles)	,,	,,	
3	77th mile to 79th mile (3 miles)	,,	,,	
4	80th mile to 82nd mile (3 miles)	,,	,,	
5	83rd mile to 86th mile (4 miles)	,,	,,	
6	87th mile to 91st mile (5 miles)	,,	,,	
7	92nd mile to 93rd mile (2 miles)	,,	,,	
8	94th mile to 95th mile (2 miles)	,,	,,	
9	96th mile to 98th mile (3 miles)	,,	,,	
	Total .. 28 miles			

P. RAJAGOPALAN,
Executive Engineer.

HASSAN DIVISION.

Notification dated 5th January 1940.

It is hereby notified for the information of the travelling public that the whole of the First Class Travellers' Bungalow at Hassan will be reserved for the occupation of Sri Meher Baba Universal Spiritual Centre Committee from the 15th to the 20th January 1940.

P. SUBBA RAO,
Executive Engineer.

MEDICAL DEPARTMENT.

OFFICE OF THE DISTRICT MEDICAL OFFICER, TUMKUR DISTRICT, TUMKUR.

Abstract Notification dated 1st January 1940.

Notice is hereby given that sealed tenders in triplicate, on half-sheet foolscap size paper, will be received at the office of the District Medical Officer, Tumkur, by the undersigned at 11 A.M. on Thursday the 25th January 1940, for the supply of Bedding and Clothing required for the use of District and Maternity Hospitals, Tumkur, for the year 1939-40.

For further particulars please refer to detailed notification published in Part VI, on pages 47-48, of the *Mysore Gazette*, dated 4th January 1940.

P. SHAMA RAO,
District Medical Officer.

MISCELLANEOUS DEPARTMENTS.

OFFICE OF THE INSPECTOR-GENERAL OF POLICE IN MYSORE, BANGALORE.

Notice No. T. C. 295—37-38, dated 19th November 1937.

The public are hereby informed that an Avery's Weigh-bridge to weigh motor vehicles is erected in the Office of the Inspector-General of Police in Mysore, Cenotaph Road, Bangalore City, and that motor vehicles brought for weighment will be weighed on payment of a fee of Rs. 10 for each weighment. A certificate of weighment will invariably be issued with each weighment so made.

F. A. HAMILTON,
Inspector-General of Police.